



AMERICAN FLAMECOAT INC.

520 Eagleton Downs Drive - D  
Pineville, NC 28134  
O: 704.405.2550  
F: 704.543.9772  
www.americanflamecoat.com

January 23, 2023

thesign / AG  
NEUSEELAND 32  
9404 RORSCHACHERBERG  
SWITZERLAND

Reference: Flammability Test Report: 108245

One (1) sample, identified as **THE SIGN – LYSIS 30798**, was received and tested in accordance with **BRITISH STANDARDS 5852:2006, "Methods of Test for Assessment of the Ignitability of Upholstered Seating by Smouldering and Flaming Ignition Sources."** Per Section 14 a)1), "The following test results relate only to the ignitability of the combination of upholstery composites (BS 5852:2006, Clause 11) under the particular conditions of test stated, they are not intended as a means of assessing the full potential fire hazard of the materials or products in use."

The sample submitted was tested to Section 8 Smouldering ignition source 0 – cigarette. The results are as follows:

**Test Results**

Ignition Source 0 – Smouldering Cigarette

- #1 PASS (No flaming or progressive smouldering)
- #2 PASS (No flaming or progressive smouldering)

The sample submitted **meets** minimum requirements of the above standard when tested to smouldering cigarette ignition per The Furniture and Furnishings (Fire)(Safety) Regulations 1988, Schedule 4, The Cigarette Test.

If there are any questions or when we can be of further assistance, please let us know.

Sincerely,

Brad Souffrant  
President



AMERICAN FLAMECOAT INC.

520 Eagleton Downs Drive - D  
Pineville, NC 28134  
O: 704.405.2550  
F: 704.543.9772  
www.americanflamecoat.com

January 23, 2023

thesign / AG  
NEUSEELAND 32  
9404 RORSCHACHERBERG  
SWITZERLAND

Reference: Flammability Test Report: 108245

One (1) sample, identified as **THE SIGN – LYSIS 30798**, was received and tested in accordance with **BRITISH STANDARDS 5852:2006, "Methods of Test for Assessment of the Ignitability of Upholstered Seating by Smouldering and Flaming Ignition Sources."** Per Section 14 a)1), "The following test results relate only to the ignitability of the combination of upholstery composites (BS 5852:2006, Clause 11) under the particular conditions of test stated, they are not intended as a means of assessing the full potential fire hazard of the materials or products in use."

The sample submitted was tested to Section 9.2 Butane Gas Flame (Ignition Source 1). The results are as follows:

### Test Results

#### Ignition Source 1 – Butane Flame

- #1 FAIL (Specimen extinguished due to excess flaming combustion)
- #2 FAIL (Specimen extinguished due to excess flaming combustion)

The sample submitted **does not meet** minimum requirements of the above standard when tested to butane flame ignition per The Furniture and Furnishings (Fire)(Safety) Regulations 1988, Schedule 5, The Match Test.

If there are any questions or when we can be of further assistance, please let us know.

Sincerely,

Brad Souffrant  
President



AMERICAN FLAMECOAT INC.

520 Eagleton Downs Drive - D  
Pineville, NC 28134  
O: 704.405.2550  
F: 704.543.9772  
www.americanflamecoat.com

January 23, 2023

thesign / AG  
NEUSEELAND 32  
9404 RORSCHACHERBERG  
SWITZERLAND

Reference: Flammability Test Report: 108245

One (1) sample, identified as **THE SIGN – LYSIS 30798 - treated with FLAMECOAT**, was received and tested in accordance with **BRITISH STANDARDS 5852:2006**, “**Methods of Test for Assessment of the Ignitability of Upholstered Seating by Smouldering and Flaming Ignition Sources.**” Per Section 14 a)1), "The following test results relate only to the ignitability of the combination of upholstery composites (BS 5852:2006, Clause 11) under the particular conditions of test stated, they are not intended as a means of assessing the full potential fire hazard of the materials or products in use."

The sample submitted was tested to Section 9.2 Butane Gas Flame (Ignition Source 1). The results are as follows:

### Test Results

#### Ignition Source 1 – Butane Flame

- #1 PASS (No flaming or progressive smouldering)
- #2 PASS (No flaming or progressive smouldering)

The sample submitted **meets** minimum requirements of the above standard when tested to butane flame ignition per The Furniture and Furnishings (Fire)(Safety) Regulations 1988, Schedule 5, The Match Test.

If there are any questions or when we can be of further assistance, please let us know.

Sincerely,

Brad Souffrant  
President